

# Biotic Regulation of the Environment

Key Issue of Global Change

---

Victor G. Gorshkov, Vadim V. Gorshkov and  
Anastassia M. Makarieva

---

# Biotic Regulation of the Environment

Key Issue of Global Change

**Springer**

*London*

*Berlin*

*Heidelberg*

*New York*

*Barcelona*

*Hong Kong*

*Milan*

*Paris*

*Santa Clara*

*Singapore*

*Tokyo*



**Springer**

Published in association with  
**Praxis Publishing**  
Chichester, UK



Professor V. G. Gorshkov  
Leading Scientific Researcher  
Department of Theoretical Physics  
Petersburg Nuclear Physics Institute  
St Petersburg  
Russia

Dr V. V. Gorshkov  
Senior Scientific Researcher  
Laboratory of Ecology of Plant Communities  
Komarov Botanical Institute  
St Petersburg  
Russia

Dr A. M. Makarieva  
Junior Scientific Researcher  
Department of Theoretical Physics  
Petersburg Nuclear Physics Institute  
St Petersburg  
Russia

SPRINGER-PRAXIS BOOKS IN ENVIRONMENTAL SCIENCES  
SUBJECT ADVISORY EDITOR: John Mason B.Sc., Ph.D.

ISBN 1-85233-181-X Springer-Verlag Berlin Heidelberg New York

British Library Cataloguing in Publication Data

Gorshkov, V. G. (Victor G.), 1935-

Biotic regulation of the environment : key issue of global change. — (Springer-Praxis books in environmental sciences)

1. Biotic communities 2. Sustainable development 3. Environmental protection

I. Title II. Gorshkov, Vadim V. III. Makarieva, Anastassia M.

577.8'2 ISBN 1-85233-181-X

Library of Congress Cataloging-in-Publication Data

Gorshkov, V. G., 1935-

Biotic regulation of the environment : key issue of global change/Victor G. Gorshkov,  
Vadim V. Gorshkov, and Anastassia M. Makarieva.

p. cm. — (Springer-Praxis books in environmental sciences)

Includes bibliographical references (p. ).

ISBN 1-85233-181-X (alk. paper)

1. Biotic communities. 2. Ecosystem management. 3. Nature—Effect of human  
beings on. 4. Environmental policy.

I. Makar'eva, Anastassia Mikhailovna. II. Gorshkov, Vadim V. III. Title.

IV. Series.

QH541.G64 2000

577.2'2—dc21

00-037164

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

© Praxis Publishing Ltd, Chichester, UK, 2000

Printed by MPG Books Ltd, Bodmin, Cornwall, UK

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: Jim Wilkie

Copy editor: Rachael Wilkie

Typesetting: Originator, Gt. Yarmouth, Norfolk, UK

Printed on acid-free paper supplied by Precision Publishing Papers Ltd, UK

## Contents

Preface .....	ix
<b>1 General overview</b> .....	<b>1</b>
1.1 External environment and internal milieu .....	1
1.2 Adaptation to, or regulation of, the environment? .....	3
1.3 Major inconsistencies in the genetic adaptation paradigm .....	5
1.4 Discreteness and stability of biological species .....	5
1.5 Global environment formed by the natural biota .....	8
1.6 Biotic regulation of the environment .....	9
1.7 Concepts of genetic adaptation and biotic regulation are mutu- ally exclusive. ....	11
1.8 Empirical evidence for the biotic regulation of the environment	13
1.9 Stability of life organisation .....	15
1.10 Mechanism of biotic regulation .....	17
1.11 Natural distribution of energy consumption over individuals of different body size .....	19
1.12 Conserving biodiversity or biotic regulation? .....	23
1.13 Biotic regulation cannot be replaced by technology .....	24
1.14 Ecological problems of humankind .....	24
1.15 Demography .....	28
<b>2 What is life?</b> .....	<b>33</b>
2.1 Distinctive properties of life .....	33
2.2 Physical and biological stability .....	35
2.3 Sexual dimorphism .....	39
2.4 Competitiveness and organisation of life .....	41
2.5 Altruistic interaction of individuals .....	43
2.6 Notorious group selection .....	47
2.7 The basic principle of biology .....	49
2.8 Impossibility of globally-correlated living objects .....	50

2.9	Norm and defect . . . . .	51	6.7	Forest succession: recovery of forest communities after perturbations . . . . .	177
2.10	The quantum nature of life . . . . .	53	6.8	Forest succession: Analysis of empirical evidence . . . . .	182
2.11	The ecological community as the highest level of biological organisation . . . . .	57	6.8.1	Forest succession: Analysis of empirical evidence . . . . .	182
<b>3</b>	<b>Ecology of organisms with different body sizes . . . . .</b>	<b>60</b>	6.8.2	Recovery dynamics . . . . .	187
3.1	Metabolic power of individuals . . . . .	60	6.8.3	Fires, windfalls, insect invasions: Natural periodicity . . . . .	191
3.2	Body size limits . . . . .	63	6.8.4	The climate issue . . . . .	197
3.3	Energetics and body size of photosynthesising plants . . . . .	67	6.8.5	Current state of forest communities . . . . .	198
3.4	Sensitivity of the biota . . . . .	70	<b>7</b>	<b>Energy and information . . . . .</b>	<b>201</b>
3.5	Fluctuations of synthesis and destruction of organic matter . . . . .	71	7.1	Order and decay . . . . .	201
3.6	Immobile and locomotive organisms . . . . .	74	7.2	Solar energy . . . . .	203
3.7	Distribution of consumption by heterotrophs with respect to their body size . . . . .	78	7.3	Stores and fluxes of information in natural biota and civilisation . . . . .	205
3.8	Distribution of biomass of heterotrophs with respect to their body size . . . . .	82	7.4	Ecological information of large animals . . . . .	215
<b>4</b>	<b>Ecology of locomotive animals . . . . .</b>	<b>86</b>	<b>8</b>	<b>Unique nature of climatic stability on earth . . . . .</b>	<b>217</b>
4.1	Daily average travelling distance . . . . .	86	8.1	Major climatic characteristics of earth . . . . .	217
4.2	The maximum speed of movement for animals . . . . .	88	8.2	Spectral characteristics of thermal radiation . . . . .	223
4.3	Maximum permissible share of biomass consumption by locomotive animals . . . . .	93	8.3	Traditional estimates of the contributions from different greenhouse gases to the greenhouse effect . . . . .	224
4.4	Settled and nomadic lifestyle of locomotive animals . . . . .	94	8.4	Dependence of the greenhouse effect on concentrations of the greenhouse gases . . . . .	226
4.5	Carnivores . . . . .	97	8.5	Possible climates on earth and their stability . . . . .	230
4.6	Diffusion of excreta . . . . .	100	8.6	Physical stability of the earth's climate . . . . .	233
4.7	Conclusions . . . . .	102	8.7	Biotic stability of the modern climate of earth . . . . .	236
<b>5</b>	<b>Ecological principles of biotic regulation . . . . .</b>	<b>109</b>	<b>9</b>	<b>Genetic bases of biotic regulation and life stability: Theoretical consideration . . . . .</b>	<b>242</b>
5.1	Ecological limitations on expansion of species . . . . .	109	9.1	Organisation of genetic information of species . . . . .	242
5.2	Biotic and inorganic fluxes of matter in the biosphere . . . . .	110	9.2	Population in the absence of stabilising selection . . . . .	245
5.3	Evolutionary progress and environmental degradation . . . . .	111	9.3	Stabilisation of genetic information of species . . . . .	250
5.4	Matter cycles in the biosphere . . . . .	116	9.4	Sensitivity of competitive interaction . . . . .	254
5.5	Environmental homeostasis and interpretation of the biotic Le Chatelier principle . . . . .	119	9.5	Normal genotypes and the normal genome . . . . .	256
5.6	Biotic regulation of matter cycles . . . . .	125	9.6	Normal, decay and adaptive polymorphism in a population . . . . .	262
5.7	Limiting biogens. resources: Renewable and non-renewable . . . . .	133	9.7	Stability of biological species under natural conditions . . . . .	265
5.8	Immigration in the ecological community . . . . .	138	9.8	Stability of biological species under unnatural conditions . . . . .	268
<b>6</b>	<b>Biotic regulation in action . . . . .</b>	<b>145</b>	9.9	Biological species: Definition . . . . .	274
6.1	The biological pump of atmospheric carbon . . . . .	145	<b>10</b>	<b>Genetic bases of biotic regulation and life stability: Analysis of empirical evidence . . . . .</b>	<b>278</b>
6.2	Changing production of dissolved organic matter in the ocean . . . . .	153	10.1	Genetic recombination . . . . .	278
6.3	Global carbon cycle change . . . . .	154	10.2	Sexual dimorphism and regulation of birth rate of decay individuals . . . . .	281
6.4	Historical dynamics of the global change . . . . .	162	10.3	Haploidy and diploidy . . . . .	284
6.5	Stopping the global carbon change . . . . .	168			
6.6	The water cycle . . . . .	171			

10.4 Effective haploidy: Autosomal heterozygosity and sex hemizygosity . . . . .	287
10.5 Threshold heterozygosity Values and Haldane's rule . . . . .	290
10.6 Estimates of lethal and hybrid heterozygosities . . . . .	293
10.7 Brief account of different views on the nature of intraspecific variability. . . . .	295
10.8 Poisson distribution of the number of polymorphic loci. . . . .	299
10.9 Natural level of heterozygosity in mammals . . . . .	306
<b>11 Evolution.</b> . . . .	<b>315</b>
11.1 Evolution and environmental change . . . . .	315
11.2 Origin of new species . . . . .	316
11.3 Evolution of prokaryotes and eukaryotes . . . . .	320
11.4 Uniformity of evolutionary tempo in different biological taxa . . .	326
11.5 Conclusions. . . . .	328
<b>12 Conclusions: Can the Biosphere Be Treated as a Resource?.</b> . . . .	<b>329</b>
<b>References.</b> . . . .	<b>340</b>
<b>Index</b> . . . . .	<b>365</b>

## Preface

At the beginning of the third millennium, amidst the consequences of the explosive scientific and technological progress of the twentieth century, humanity is faced with a vague perspective of further development of civilisation. On the one hand, the inherent human claim for improving living standards urges further acceleration of economic growth and exploitation of biospheric resources. On the other hand, it becomes evident that uncontrolled spontaneous development of modern civilisation, determined by catering for immediate human demands, goes hand in hand with global environmental devastation. This, in its turn, inevitably impairs the quality of life and undermines the security of human existence.

Humanity is searching for a compromise between the two trends. Hopes for sustainable development are most often associated with creation of technologies capable of imposing a stabilising impact upon the global environment. This way of solving the problem necessitates further enhancement of civilisation's power, growth of human population and the inevitable cultivation of the remaining natural biota and other biospheric resources. The fact that many difficult issues have been successfully settled so far with the help of science and technology, works to convince people that current environmental problems of humanity can be similarly resolved. However, the statement that a technological solution to the problem of global environmental security is in principle possible, is not self-evident and requires a detailed scientific investigation.

A different path of development compatible with long-term environmental safety lies through conservation and restoration of a substantial part of the Earth's biosphere in its natural, nonperturbed state bearing in mind the stabilising potential of the natural biota of Earth with respect to the global environment. Stabilising properties of the natural nonperturbed biota become evident from the fact that the global environment has been supported in a stable state suitable for life for the last four billion years in spite of external destabilising factors. Restoration of the stabilising biotic potential would mean relaxation of anthropogenic pressure on perturbed territories and complete abandonment of further cultivation of the natural

biota. This strategy sets a ceiling to exploitation of biospheric resources, economic growth and global human population numbers.

There is a very essential difference between the two alternative strategies of civilisation's development. Ample scientific evidence accumulated up to now proves the reality of achieving a sustainable state of civilisation, were the second path of development associated with conservation of the stabilising biotic potential the one to be followed.

In contrast, sustainability of the first strategy of development based on complete cultivation of the biosphere and technological means of ensuring environmental stability remains entirely unproved. It may not be considered as real until a serious scientific investigation of this question yields a positive answer. Only then will humanity be free to choose between the alternative strategies of development, which may be done on the basis of the democratic choice of the majority of people of Earth.

Until such research is conducted, there is no free choice but only one safe strategy of civilisation development, namely to rely on the conservation of the natural biota of Earth. The technological way of development along which modern civilisation is now spontaneously moving is burdened with the risk of global ecological catastrophe and places the very existence of humanity under threat.

This book presents an attempt to perform scientific analysis of possible strategies for the development of civilisation and to work out quantitative recommendations that could be used by people when choosing their future. The obtained results show that it is impossible to substitute the existing natural biotic mechanism of environmental stabilisation by any technological means, whatever the advanced stage of technological progress of civilisation.

## Acknowledgements

We are particularly grateful to Professor K. Ya. Kondratyev who persuaded us of the necessity of writing the book. We express our deep appreciation to Dr Brendan Mackey for most fruitful discussions of the major issues of the book. Special thanks are due to the Administration of the Department of Theoretical Physics of Petersburg Nuclear Physics Institute for providing Victor Gorshkov and Anastassia Makarieva with excellent working conditions. Our work was in part supported by the Russian State Committee of Ecology.

# 1

## General overview

*We dedicate this book to Ella Gorshkova*

This chapter presents an outline of all the problems to be covered in the book.

The natural biota (i.e. flora and fauna) of Earth undisturbed by human activities regulates the environment on both local and global scales and compensates for any deviations from the optimal environmental characteristics suitable for life as a whole and humans in particular. Natural biotic regulation of the environment is based on genetic information encoded in genomes of natural biological species combined into ecological communities. When the degree of anthropogenic cultivation of the biota goes beyond the ecologically-permissible level, the remaining natural biota of Earth loses its ability to stabilise the global environment. As a result, the global environment degrades. Namely the human-induced perturbation of the natural biota rather than direct anthropogenic forcing appears to be the primary cause of the observed global change. We quantify the area that has to be occupied by natural biota unperturbed by modern industrial society in order to ensure long-term environmental stability on Earth.

### 1.1 EXTERNAL ENVIRONMENT AND INTERNAL MILIEU

Each organism is characterised by an internal milieu and exists in an external environment, which drastically differ from one another. Such a situation is possible due to the fact that every organism has a natural envelope that protects and separates it from the external environment. Trees have bark, mammals have skin and hair, birds have feathers, living cells have special protecting membranes, etc. The internal milieu of an organism is maintained by the well coordinated work of its internal organs. Failure of any of the internal organs leads to deterioration of the internal milieu and impairment of the general condition (health) of the individual.

Functioning of the internal organs of the organism relies on the continuous consumption of nutrients and energy from the external environment. Within the living body, organic nutrients are decomposed and excreted from the organism